

CONTENTS

SERVICE SECTIONS

CHRYSLER

80 hp	3
Commando	9
Drive 90	20
300	44

EVINRUDE See Outboard Marine Corp.

MARINE DRIVE SYSTEMS 63

MERCURISER

60, 80 and 90	76
110, 120, 2.5L, 140(4), 3.0L, 140(6), 150, 160, 165 and Rover Diesel (includes drives I, I-A, I-B, I-C, 120, 140, 165, R, MR, Alpha One and E-Z Shift Models	89
II	119
175, 185, 205, 4.3L, 4.3LX, 200, 215E, 215H, 225-S, 228, 230, 5.0L, 5.0LX, 233, 250, 260, 350 Magnum, 5.7L, 888 and 898 (includes drives 898, 228, 250, R, MR and Alpha One	136

MERCURISER (CONT.)

III	177
165, 3.7L, 170, 180, 3.7LX, 190, 470, 485 and 488 (includes drives R, MR and Alpha One	198
II-TR and II-TRS	212
Bravo One	231
Power Equipment Servicing	245

OUTBOARD MARINE CORPORATION

DU Series	263
NU Series	274
100 to 245 hp (prior to 1978)	285
400 & 800	313
Cobra and King Cobra	337

PLEASURECRAFT 372

VOLVO

Engines	382
Aquamatic 100	409
Aquamatic 200, 250, 270, 275, 280, 290 and Duoprop	413

WAUKESHA See Pleasurecraft

DUAL DIMENSIONS

This service manual provides specifications in both the U.S. Customary and Metric (SI) systems of measurement. The first specification is given in the measuring system perceived by us to be the preferred system when servicing a particular component, while the second specification (given in parenthesis) is the converted measurement. For instance, a specification of "0.011 inch (0.28 mm)" would indicate that we feel the preferred measurement, in this instance, is the U.S. system of measurement and the metric equivalent of 0.011 inch is 0.28 mm.